




10/030,697.

CORR

Docket No.: 218090US6PCT

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313



ATTORNEYS AT LAW

RE: Inventor: Thomas WECHSLER, et al.
Patent No.: 6,844,187
Issued: January 18, 2005
Group Art Unit: 1744
Examiner: William H. BEISNER
For: BIOREACTOR

Certificate
FEB 04 2005
of Correction

SIR:

Attached hereto for filing are the following papers:

REQUEST FOR CERTIFICATE OF CORRECTION
CERTIFICATE OF CORRECTION FORM PTO 1050

Our check in the amount of \$0.00 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R. 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.



Gregory J. Maier

Registration No. 25,599

Joseph Scafetta, Jr.
Registration No. 26,803

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 05/04)

7 FEB 2005



DOCKET NO.: 218090US6PCT/smc

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: Thomas WECHSLER, et al.

PATENT NO.: 6,844,187

GROUP: 1744

ISSUED: January 18, 2005

EXAMINER: William H. BEISNER

FOR: BIOREACTOR

REQUEST FOR CERTIFICATE OF CORRECTION

DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE
ALEXANDRIA, VA 22313-1450

SIR:


The following is a request for a certificate of correction in Serial Number 10/030,697, now Patent Number 6,844,187.

In accordance with the provisions of Rule 322 of the Rules of Practice, which implement 35 USC 254, the Patent Office is respectfully requested to issue a certificate of correction in the above-identified patent.

In light of the fact that the errors were the fault of the Patent Office, no fees are required. The requested corrections are listed on FORM P.T.O. 1050.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.



Gregory J. Maier

Registration No. 25,599

Joseph Scafetta, Jr.
Registration No. 26,803

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 05/04)

7 FEB 2005

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : **6,844,187**
DATED: **Jan. 18, 2005**
INVENTOR(S): **Wechsler et al.**

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page, Item (75) and (30), the First Inventor's City of Residence and Foreign Application Priority Data are incorrect. Items (75) and (30) should read:

-- (75) Inventors: **Thomas Wechsler, Zuerich (CH);
Ulrich Baer, Heiden (CH); Christian
Oehr, Herrenberg (DE); Thomas
Graeve, Stuttgart (DE)**

(30) **Foreign Application Priority Data**
Jul. 12, 1999 (DE) 199 32 439 --

Mailing address of sender:

Patent No. **6,844,187**

Customer Number

22850

No. of add'l copies
@ .30 per page

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 03/02)



FEB 2005